AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. Contract ID Code Firm-Fixed-Price		Page 1 Of 4
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req			5. Project No.	(If applicable)
P00001	2004JAN12	SEE SCHEDULE				
6. Issued By	Code W52H09	7. Administered By (If other than Item 6) Code S1103A				
TACOM-ROCK ISLAND		DCMA ATLANTA				
AMSTA-LC-CFA-B		805 WALKER S				
RITA HICKROD (309)782-4858 ROCK ISLAND IL 61299-7630		MARIETTA GA 30060-2789				
ROCK IDEMINE II 01275 7030						
EMAIL: HICKRODR@RIA.ARMY.MIL		S	CD C	PAS NONE	ADP 1	РТ но0338
8. Name And Address Of Contractor (No., Stre	et, City, County, State and	Zip Code)		9A. Amendmen	nt Of Solicitation	n No.
ALPHA TECHNOLOGIES						
208 BOOT HILL DRIVE		<del> </del>	9B. Dated (See	Itom 11)		
WINCHESTER, TN. 37398-3345				9B. Dated (See	e item 11)	
			Х	10A. Modificat	tion Of Contract	t/Order No.
			الثا			
TYPE BUSINESS: Other Small Business	Performing in U.S.		1	W52H09-04-P-		
		-	10B. Dated (See Item 13) 2003NOV25			
Code OHF27 Facility Code	HIS ITEM ONLY APPLI	ES TO AMENDMEN	TE OF SO		IC .	
The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers						
is extended, is not extended.						
Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:  (a) By completing items 8 and 15, and returning copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the						
offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR						
ACKNOWLEDGMENT TO BE RECEIVED						
SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the						
opening hour and date specified.						
12. Accounting And Appropriation Data (If required)						
NO CHANGE TO OBLIGATION DATA						
13. THIS ITEM ONLY APPLIES TO MODIFICATIONS OF CONTRACTS/ORDERS						
KIND MOD CODE: C  It Modifies The Contract/Order No. As Described In Item 14.						
A. This Change Order is Issued Pursuant To: The Contract/Order No. In Item 10A.  The Contract/Order No. In Item 10A.						
B. The Above Numbered Contract/Order Is Modified To Reflect The Administrative Changes (such as changes in paying office, appropriation data, etc.)						
Set Forth In Item 14, Pursuant To The Authority of FAR 43.103(b).						
X C. This Supplemental Agreement Is Entered Into Pursuant To Authority Of: 43.103(a)(3)						
D. Other (Specify type of modification and authority)						
E. IMPORTANT: Contractor x is not, is required to sign this document and return copies to the Issuing Office.						
14. Description Of Amendment/Modification (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)						
SEE SECOND PAGE FOR DESCRIPTION						
SEE SECOND FAGE FOR DESCRIPTION						
Except as provided herein, all terms and conditions of the document referenced in item 9A or 10A, as heretofore changed, remains unchanged and in full force						
and effect.	ions of the document fere	circum in item 211 or	1021, 45 110	retorore enung	cu, remains une	nungea una m run rorce
15A. Name And Title Of Signer (Type or print)	1			Of Contracting	Officer (Type or	r print)
		MARY DONO DONOVANM@		.MIL (309)782	2-4895	
15B. Contractor/Offeror	15C. Date Signed	16B. United				16C. Date Signed
-						8
(C)	-	By		/SIGNED/	)	2004JAN12
(Signature of person authorized to sign) NSN 7540-01-152-8070		30-105-02	gnature o	f Contracting C		ORM 30 (REV. 10-83)

## **CONTINUATION SHEET**

## Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0052

MOD/AMD P00001

Page 2 of 4

Name of Offeror or Contractor: ALPHA TECHNOLOGIES

SUPPLEMENTAL INFORMATION

THE PURPOSE OF THIS MODIFICATION IS TO CORRECT PAGE 8, CLAUSE DS6415, AS SHOWN ON THE ATTACHED.

ALL OTHER TERMS AND CONDITIONS REMAIN THE SAME.

\*\*\* END OF NARRATIVE A 001 \*\*\*

## **CONTINUATION SHEET**

## Reference No. of Document Being Continued

PIIN/SIIN W52H09-04-P-0052

MOD/AMD P00001

**Page** 3 **of** 4

APR/2003

Name of Offeror or Contractor: ALPHA TECHNOLOGIES

PACKAGING AND MARKING

Status Regulatory Cite \_\_\_\_\_\_ Title \_\_\_\_\_ Date

1 CHANGED 52.211-4501

 $exttt{DS6415}$  WAS DELETED 30 OCT 2003 AND REPLACED BY  $exttt{DS6419}$ ,  $exttt{PACKAGING}$ 

REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)

a. Military preservation, packing, and marking shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of MIL-STD-2073-1, Revision D, Date 15 Dec 99 including Notice 1, dated 10 May 02 and the Special Packaging Instruction contained in the TDP.

Preservation: MILITARY Level of Packing: B

Quantity Per Unit Package: 001

SPI Number: P11636260, REV. A, DATED 8 SEP 75

- b. Unitization Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.
- c. Marking: In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Date 15 Dec 02 including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.

Contractors and vendors shall apply address markings using a bar coded military shipment label (MSL)for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. The DD Form 250 or the commercial packing list shall have bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).

Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

Military Shipping Label. The Army has developed software to create Military Shipment Labels. It's called Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD) and is available to anyone with a contract with the government. The software can be downloaded from the following website main page: http://www.asset-trak.com/catt/catt.htm. Or go directly to the software download page http://www.asset-trak.com/catt/msl\_irrd/msl\_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.

- d. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- e. This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions in paragraph e below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided the contractor notifies the Administrative Contracting Officer 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to the Contracting Officer and the Administrative Contracting Officer. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

CONTINUATION SHEET

Reference No. of Document Being Continued

Page 4 of 4

Piln/Siln W52H09-04-P-0052 MOD/AMD P00001

Name of Offeror or Contractor: ALPHA TECHNOLOGIES

REPLACE WITH MIL-STD-2073-1. DELETE MIL-P-3420 AND REPLACE WITH MIL-PRF-3420. DELETE MIL-B-117 AND REPLACE WITH MIL-DTL-117. DELETE PPP-B-636 AND REPLACE WITH ASTM D5118. DELETE PPP-T-76 AND REPLACE WITH ASTM D5486.

(End of clause)

(DS6415)